

## **Section 7.1**

Blantz RC, Thomson SC, Peterson OW, Gabbai FB (1990). Physiologic adaptations of the tubuloglomerular feedback system. *Kidney International* 38: 577–583.

Braun EJ, Dantzler WH (1972). Function of mammalian-type and reptilian-type nephrons in kidney of desert quail. *American Journal of Physiology* 222: 617–629.

Brown JA, Oliver JA, Henderson IW, Jackson, BA (1980). Angiotensin and single nephron glomerular function in the trout *Salmo gairdneri*. *American Journal of Physiology (Regulatory Integrative and Comparative Physiology)* 239: R509–514.

Denton KM, Anderson WP (1991). Glomerular ultrafiltration in rabbits with superficial glomeruli. *Pflügers Archiv European Journal of Physiology* 419: 235–242.

McVicar AJ, Rankin JC (1985). Dynamics of glomerular filtration in the river lamprey, *Lampetra fluviatilis* L. *American Journal of Physiology (Renal Fluid Electrolyte Physiology)* 18) 249: F132–F138.

Tanner GA, Rippe C, Shao Y, Evan AP, Williams Jr. JC (2009). Glomerular permeability to macromolecules in the *Necturus* kidney. *American Journal of Physiology Renal Physiology* 296: F1269–1278.

Vena, VE, Lac TH, Wideman Jr. RF (1990). Dietary sodium, glomerular filtration rate autoregulation, and glomerular size distribution profiles in domestic fowl (*Gallus gallus*). *Journal of Comparative Physiology B* 160: 7–16.

## **Section 7.2**

Al-kahtani MA, Zuleta C, Caviedes-Vidal E, Garland T Jr. (2004). Kidney mass and relative medullary thickness of rodents in relation to habitat, body size, and phylogeny. *Physiological and Biochemical Zoology* 77: 346–365.

Beuchat CA (1996). Structure and concentrating ability of the mammalian kidney: correlations with habitat. *American Journal of Physiology* 271 (Regulatory Integrative Comparative Physiology 40): R157–179.

Bucking C, Wood CM (2005). Renal regulation of plasma glucose in the freshwater rainbow trout. *Journal of Experimental Biology* 208: 2731–2739.

Fenton RA, Knepper MA (2007). Urea and renal function in the 21st century: insights from knockout mice. *Journal of American Society of Nephrology* 18: 679–688.

Grantham JJ, Wallace DP (2002). Return of the secretory kidney. *American Journal of Physiology Renal Physiology* 282: F1–9.

Greenwald L (1989). The significance of renal relative medullary thickness. *Physiological Zoology* 62: 1005–1014.

Islam Z, Hayashi N, Yamamoto Y, Doi H, Romero MF, Hirose S, Kato A (2013). Identification and proximal tubule localization of the Mg<sup>2+</sup> transporter, Slc41a1, in a seawater fish. *American Journal of Physiology Regulatory Integrative and Comparative Physiology* 305: R385–396.

Kato A, Muro T, Kimura Y, Li S, Islam Z, Ogoshi M, Doi H, Hirose S (2011). Differential expression of Na<sup>+</sup>-Cl<sup>-</sup> cotransporter and Na<sup>+</sup>-K<sup>+</sup>-Cl<sup>-</sup> cotransporter 2 in the distal nephrons of euryhaline and seawater pufferfishes. *American Journal of Physiology Regulatory Integrative and Comparative Physiology* 300: R284–297.

Nishimura H, Fan Z (2003). Regulation of water movement across vertebrate renal tubules. *Comparative Biochemistry and Physiology Part A* 136: 479–498.

Pelis RM, Renfro JL (2004). Role of tubular secretion and carbonic anhydrase in vertebrate renal sulfate excretion. *American Journal of Physiology Regulatory Integrative and Comparative Physiology* 287: R491–501.

Rosenthal R, Fromm M (2014). Significant water absorption goes paracellular in kidney proximal tubules. *American Journal of Physiology Renal Physiology* 306: F51–52.

Stoner LC, Viggiano SC (1999). Elevation of basolateral K<sup>+</sup> induces K<sup>+</sup> secretion by apical maxi K<sup>+</sup> channels in *Ambystoma* collecting tubule. *American Journal of Physiology* 276 (Regulatory Integrative Comparative Physiology 45): R616–R621.

Watanabe T, Takei Y (2011). Molecular physiology and functional morphology of SO<sub>4</sub><sup>2-</sup> excretion by the kidney of seawater-adapted eels. *Journal of Experimental Biology* 214: 1783–1790.

### **Section 7.3**

Lin S-C, Liou C-H, Cheng J-H (2000). The role of the antennal glands in ion and body volume regulation of cannulated *Penaeus monodon* reared in various salinity conditions. Comparative Biochemistry and Physiology Part A 127: 121–129.

Braun G, Kümmel G, Mangos JA (1966). Studies on the ultrastructure and function of a primitive excretory organ, the protonephridium of the rotifer *Asplanchna priodonta*. Pflügers Archiv – European Journal of Physiology 289: 141–154.

Riegel JA (1963). Micropuncture studies of chloride concentration and osmotic pressure in the crayfish antennal gland. Journal of Experimental Biology 40: 487–492.

Sarver RG, Flynn MA, Holliday CW (1994). Renal Na, K-ATPase and osmoregulation in the crayfish, *Procambarus clarkii*. Comparative Biochemistry and Physiology Part A 107A: 349–356.

Wenning A (1996). Managing high salt loads: From neuron to urine in the leech. Physiological Zoology 69: 719–745.

Zerbst-Boroffka I, Bazin B, Wenning A (1997). Chloride secretion drives urine formation in leech nephridia. The Journal of Experimental Biology 200: 2217–2227.

#### **Section 7.4**

Albrecht J, Norenberg MD (2006). Glutamine: a Trojan horse in ammonia neurotoxicity. Hepatology 44: 788–794.

Durant AC, Chasiotis H, Misura L, Donini A (2017). *Aedes aegypti* Rhesus glycoproteins contribute to ammonia excretion by larval anal papillae. Journal of Experimental Biology 220: 588–596.

Quijada-Rodriguez AR, Treberg JR, Weihrauch D (2015). Mechanism of ammonia excretion in the freshwater leech *Nephelopsis obscura*: characterization of a primitive Rh protein and effects of high environmental ammonia. American Journal of Physiology Regulatory Integrative Comparative Physiology 309: R692–705.

Randall DJ, Wilson JM, Peng KW, Kok TWK, Kuah SSL, Chew SF, Lam TJ, Ip YK (1999). The mudskipper, *Periophthalmodon schlosseri*, actively transports  $\text{NH}_4^+$  against a concentration gradient. American Journal of Physiology 277: R1562–R1567.

Scaraffia PY, Tan G, Isoe J, Wysocki VH, Wells MA, Miesfeld RL (2008). Discovery of an alternate metabolic pathway for urea synthesis in adult *Aedes aegypti* mosquitoes. Proceedings of the National Academy of Sciences of United States of America 105: 518–523.

Talbot K, Kwong RWM, Gilmour KM, Perry SF (2015). The water channel aquaporin-1a1 facilitates movement of CO<sub>2</sub> and ammonia in zebrafish (*Danio rerio*) larvae. *Journal of Experimental Biology* 218: 3931–3940.

Wilkie MP, Turnbull S, Bird J, Wang YS, Claude JF, Youson JH (2004). Lamprey parasitism of sharks and teleosts: high capacity urea excretion in an extant vertebrate relic. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology* 138: 485–492.

Wood CM, Giacomin M (2016). Feeding through your gills and turning a toxicant into a resource: how the dogfish shark scavenges ammonia from its environment. *Journal of Experimental Biology* 219: 3218–3226.

Wood CM, McDonald MD, Sundin, L, Laurent P, Walsh PJ (2003). Pulsatile urea excretion in the gulf toadfish: mechanisms and controls. *Comparative Biochemistry & Physiology Part B* 136: 667–684.

Wood CM, Nawata CM (2011). A nose-to nose comparison of the physiological and molecular responses of rainbow trout to high environmental ammonia in seawater *versus* freshwater. *Journal of Experimental Biology* 214: 3557–3569.