

## **Section 18.1**

Huxley AF, Niedergerke R (1954). Structural changes in muscle during contraction: interference microscopy of living muscle fibres. *Nature*: 173, 971–973.

Huxley H, Hanson J (1954). Changes in the cross-striations of muscle during contraction and stretch and their structural interpretation. *Nature* 173: 973–976.

Rayment I, Rypniewski WR, Schmidt-Base K, Smith R, Tomchick DR, Benning MM, Winkelmann DA, Wesenberg G, Holden HM (1993). Three-dimensional structure of myosin subfragment-1: a molecular motor. *Science* 261: 50–58.

Steinmetz PRH, Kraus JEM, Larroux C, Hammel JU, Amon-Hassenzahl A, Houlston E, Wörheide G, Nickel M, Degnan BM, Technau U (2012). Independent evolution of striated muscles in cnidarians and bilaterians. *Nature* 487: 231-234.

Stephenson DG, Williams DA (1981). Calcium-activated force responses in fast- and slow-twitch skinned muscle fibres of the rat at different temperatures. *Journal of Physiology* 317: 281-302.

Yanagida T, Nakase M, Nishiyama K, Oosawa F (1984). Direct observation of motion of single F-actin filaments in the presence of myosin. *Nature* 307: 58-60.

## **Section 18.2**

Ashley CC, Ridgway EB (1970). On the relationships between membrane potential, calcium transient and tension in single barnacle muscle fibres. *Journal of Physiology* 209: 105-130.

Baylor SM, Hollingworth S (2003). Sarcoplasmic reticulum calcium release compared in slow-twitch and fast-twitch fibres of mouse muscle. *Journal of Physiology* 551: 125–138.

Bortolotto SK, Cellini M, Stephenson DG, Stephenson GMM (2000). MHC isoform composition and  $\text{Ca}^{2+}$ - or  $\text{Sr}^{2+}$ -activation properties of rat skeletal muscle fibers. *American Journal of Physiology (Cell Physiology)* 279: C1564–C1577.

Desaki J, Uehara Y (1981). The overall morphology of neuromuscular junctions as revealed by scanning electron microscopy. *Journal of Neurocytology* 10: 101-110.

Franzini-Armstrong C (1970). Studies of the triad. I. Structures of the junction in frog twitch fibers. *Journal of Cell Biology* 47: 488–499.

Gordon AM, Huxley AF, Julian FJ (1966). The variation in isometric tension with sarcomere length in vertebrate muscle fibres. *Journal of Physiology* 184: 170 – 192.

Hodgkin AL, Horowicz P (1957). The differential action of hypertonic solutions on the twitch and action potential of a muscle fibre. *Journal of Physiology* 136: 17-18P.

Hoyle G, Smyth T Jr (1963). Neuromuscular physiology of giant muscle fibres of a barnacle, *Balanus nubilus Darwin*. *Comparative Biochemistry and Physiology* 10: 291-314.

Medler S, Lilley T, Mykles DL (2004). Fiber polymorphism in skeletal muscles of the American lobster, *Homarus americanus*: continuum between slow-twitch ( $S_1$ ) and slow-tonic ( $S_2$ ) fibres. *Journal of Experimental Biology* 207: 2755-2767.

Rosser BWC, Wick M, Waldbillig DM, Bandman E (1996). Heterogeneity of myosin heavy-chain expression in fast-twitch fiber types of mature avian pectoralis muscle. *Biochemistry and Cell Biology* 74: 715–728.

### **Section 18.3**

Endoh M, Blinks JR (1988). Actions of sympathomimetic amines on the  $\text{Ca}^{2+}$  transients and contractions of rabbit myocardium: Reciprocal changes in myofibrillar responsiveness to  $\text{Ca}^{2+}$  mediated through  $\alpha$ - and  $\beta$ -adrenoceptors. *Circulation Research* 62: 247-265.

Go A, Srivastava S, Collis L, Coetzee WA, Artman M (2005). Negative inotropic effect of nifedipine in the immature rabbit heart is due to shortening of the action potential. *Pediatric Research* 57: 399-403.

### **Section 18.4**

Galler S, Litzlbauer J, Kröss M, Grassberger H (2010). The highly efficient holding function of the mollusc ‘catch’ muscle is not based on decelerated myosin head cross-bridge cycles. *Proceedings of the Royal Society B* 277: 803-808.

He WQ, Peng YJ, Zhang WC, Lv N, Tang J, Chen C, Zhang CH, Gao S, Chen HQ, Zhi G, Feil R, Kamm KE, Stull JT, Gao X, Zhu MS (2008). Myosin light chain kinase is central to smooth muscle contraction and required for gastrointestinal motility in mice. *Gastroenterology* 135: 610-620.

Leonard TR, Herzog W (2010). Regulation of muscle force in the absence of actin-myosin-based cross-bridge interaction. *American Journal of Physiology (Cell Physiology)* 299: C14-C20.

### **Section 18.5**

Barclay CJ, Woledge RC, Curtin NA (2010). Is the efficiency of mammalian (mouse) skeletal muscle temperature dependent? *Journal of Physiology* 588: 3819-3831.

Beis I, Newsholme EA (1975). The contents of adenine nucleotides, phosphagens and some glycolytic intermediates in resting muscles from vertebrates and invertebrates. *Biochemical Journal* 152: 23-32.

Curtin NA, Woledge RC (1988). Power output and force–velocity relationship of live fibres from white myotomal muscle of the dogfish, *Scyliorhinus canicula*. *Journal of Experimental Biology* 140: 187–197.

Lutz GJ, Rome LC (1994). Built for jumping: The design of the frog muscular system. *Science* 263: 370-372.

Milligan BJ, Curtin NA, Bone Q (1997). Contractile properties of obliquely striated muscle from the mantle of squid (*Alloteuthis subulata*) and cuttlefish (*Sepia officinalis*). *Journal of Experimental Biology* 200: 2425–2436.

Onambele GL, Narici MV, Maganaris CN (2006). Calf muscle-tendon properties and postural balance in old age. *Journal of Applied Physiology* 100: 2048-2056.

Pflüger H-J, Duch C (2011). Dynamic neural control of insect muscle metabolism related to motor behaviour. *Physiology* 26: 293-303.

Rome LC, Sosnicki AA (1991). Myofilament overlap in swimming carp II. Sarcomere length changes during swimming. *American Journal of Physiology (Cell Physiology)* 260: C289-C296.

Murray JD, Canan BD, Martin CD, Stangland JE, Rastogi N, Rafael-Fortney JA, Janssen PML (2012). The force-temperature relationship in healthy and dystrophic mouse diaphragm; implications for translational study design. *Frontiers in Physiology* 3:422. doi: 10.3389/fphys.2012.00422.

Portzehl H, Caldwell PC, Rüegg JC (1964). The dependence of contraction and relaxation of muscle fibres from the crab *Maia squinado* on the internal concentration of free calcium ions. *Biochimica et Biophysica Acta* 79: 581-591.

Velten BP, Welch KC Jr (2014). Myosin heavy-chain isoforms in the flight and leg muscles of hummingbirds and zebra finches. *American Journal of Physiology (Regulatory and Integrative Comparative Physiology)* 306: R845–R851.

West JM, Humphris DC, Stephenson DG (1992). Differences in maximal activation properties of skinned short- and long-sarcomere muscle fibres from the claw of the freshwater crustacean *Cherax destructor*. *Journal of Muscle Research and Cell Motility* 13: 668-684.

## **Section 18.6**

Burrows M, Sutton GP (2012). Locusts use a composite of resilin and hard cuticle as an energy store for jumping and kicking. *Journal of Experimental Biology* 215: 3501-3512.

Fish FE, Legac P, Williams TM, Wei T (2014). Measurement of hydrodynamic force generation by swimming dolphins using bubble DPIV. *Journal of Experimental Biology* 217: 252-260.

Henning R, Lømo T (1985). Firing patterns of motor units in normal rats. *Nature* 314: 164-166.

Marras S, Killen SS, Lindström J, McKenzie DJ, Steffensen JF, Domenici P (2015). Fish swimming in schools save energy regardless of their spatial position. *Behavioural and Ecological Sociobiology* 69: 219–226.

Rayner JMV (1999). Estimating power curve of flying vertebrates. *Journal of Experimental Biology* 202: 3449-3461.

Spedding GR, Rosén M, Hedenstrom A (2003). A family of vortex wakes generated by a thrush nightingale in free flight in a wind tunnel over its entire natural range of flight speeds. *Journal of Experimental Biology* 206: 2313-2344.

Videler JJ, Haydar D, Snoek R, Hoving H-JT, Szabo BG (2016). Lubricating the swordfish head. *Journal of Experimental Biology* 219: 1953-1956.

Williams TM, Wolfe L, Davis T, Kendall T, Richter B, Wang Y, Bryce C, Elkaim GH, Wilmers CC (2014). Instantaneous energetics of puma kills reveal advantage of felid sneak attacks. *Science* 346: 81-85.